




**Product specifications**

- **220 mm projection**
  - M 22 x 1 aerator – female thread
  - back flow preventer in shower outlet
  - 1/2" deck valves with ceramic head parts
  - automatic bath/shower diverter
  - bar-type hand shower with anti-scale system and back flow preventer
  - metal shower hose 2250 mm, chrome-plated, consisting of 1 pc. high pressure hose 500 mm and 1 pc. metal hose 1750 mm with turning cone
  - rosette hand shower diverter  $\varnothing$  50 mm
  - Inlet/deck valve rosette  $\varnothing$  55 mm
  - hole diameter enema/handles 32 mm
  - hole diameter hand shower diverter 32 mm
  - 2x 1/2" x 1/2" x 400 mm high pressure hose
  - 20° 1/2" x 1/2" nipple for shower
  - guide for shower hose
  - Max. hand shower flow 7.6 l/min
- Also available with 260 mm or 300 mm projection on request.




The Perfecto installation kit is recommended for optimum mounting.

Intrinsic protection against back flow.

### **Surfaces**

- chrome 27512892-00
- platinum matt 27512892-06
- platinum 27512892-08
- matt white 27512892-10
- matt black 27512892-33

**Exploded assembly drawing**





**Order quantity**

<b>No.</b>	<b>Article number</b>	<b>Name</b>	<b>Installation quantity</b>
1	20000892ff	side panel	2
2	1250297090	hose	2
3	13512892ff	spout	1
4	27702979ff	shower set	1
5	28013979ff	shower	1

**Flow rate chart**

