



Teso


DESIGN DANTE O. BENINI & LUCA GONZO



verticale  
vertical  
verticale  
vertikal  
vertical



orizzontale  
horizontal  
horizontale  
horizontal  
horizontal



**verticale / vertical / verticale / vertikal / vertical**

A* cm	inches	B* cm	inches	I* cm	inches	art*	L*	BTU Δt 50°	watt Δt 50°
150.0	59.1	25.0	9.8	5.0	2.0	TS00V15001B	1.1	1324	388
150.0	59.1	50.3	19.8	30.3	11.9	TS00V15002B	2.3	2648	776
150.0	59.1	75.6	29.8	55.6	21.9	TS00V15003B	3.5	3973	1164
170.0	66.9	25.0	9.8	5.0	2.0	TS00V17001B	1.2	1 471	431
170.0	66.9	50.3	19.8	30.3	11.9	TS00V17002B	2.5	2 942	862
170.0	66.9	75.6	29.8	55.6	21.9	TS00V17003B	3.9	4 413	1 293
200.0	78.7	25.0	9.8	5.0	2.0	TS00V20001B	1.4	1 730	507
200.0	78.7	50.3	19.8	30.3	11.9	TS00V20002B	2.9	3 461	1 014
200.0	78.7	75.6	29.8	55.6	21.9	TS00V20003B	4.4	5 191	1 521

E* watt
200
500
700
250
500
700
300
700
900

P\* 117

**orizzontale / horizontal / horizontale / horizontal / horizontal**

B* cm	inches	A* cm	inches	I* cm	inches	art*	L*	BTU Δt 50°	watt Δt 50°
150.0	59.1	25.0	9.8	5.0	2.0	TS00O15001B	1.1	1171	343
150.0	59.1	50.3	19.8	30.3	11.9	TS00O15002B	2.3	2345	687
150.0	59.1	75.6	29.8	55.6	21.9	TS00O15003B	3.5	3515	1030
170.0	66.9	25.0	9.8	5.0	2.0	TS00O17001B	1.2	1 332	390
170.0	66.9	50.3	19.8	30.3	11.9	TS00O17002B	2.5	2 664	781
170.0	66.9	75.6	29.8	55.6	21.9	TS00O17003B	3.9	3 996	1 171
200.0	78.7	25.0	9.8	5.0	2.0	TS00O20001B	1.4	1 567	459
200.0	78.7	50.3	19.8	30.3	11.9	TS00O20002B	2.9	3 134	918
200.0	78.7	75.6	29.8	55.6	21.9	TS00O20003B	4.4	4 701	1 377

A\* = altezza / height / hauteur / Höhe / alto    B\* = larghezza / width / longueur / Breite / ancho    art\* = articolo / model / model / Artikel / artículo  
 P\* = pagina / page / page / Seite / página    I\* = interasse / pipe centres / distance entre depart et retour / Achsabstand / distancia entre las conexiones  
 E\* = elettrico / electrical / électric / elektrisch / eléctrico  
 L\* = contenuto acqua / content / volume / Inhalt / volumen

Kcal = Watt x 0.860    BTU = Watt x 3.413

**verticale / vertical / verticale / vertikal / vertical**

Watt Δt 20° = Watt Δt 50° x 0.283  
 Watt Δt 30° = Watt Δt 50° x 0.495  
 Watt Δt 40° = Watt Δt 50° x 0.735  
 Watt Δt 60° = Watt Δt 50° x 1.286

**orizzontale / horizontal / horizontale / horizontal / horizontal**

Watt Δt 20° = Watt Δt 50° x 0.323  
 Watt Δt 30° = Watt Δt 50° x 0.532  
 Watt Δt 40° = Watt Δt 50° x 0.759  
 Watt Δt 60° = Watt Δt 50° x 1.252  
 p max = 6.5 bar

Colori / colours / couleurs / Farbe / colores


[ BIAN ]    B standard  
                   T + 10%  
                   S + 20%  
                   S + 20%  
 [ RAL ]       RAL non inclusi in tabella  
                   special Ral colours  
                   couleurs Ral spéciales  
                   RAL Farbe nicht in der Tabelle inbegriffen  
                   colores RAL especiales

Ulteriori dettagli  
 Further details  
 Ulérieures détails  
 Weitere Einzelheiten  
 Otros detalles





AVC0631\_  
 AVC0602\_

P\* 120




# Teso crom\_gold


DESIGN DANTE O. BENINI & LUCA GONZO



verticale  
vertical  
verticale  
vertikal  
vertical



orizzontale  
horizontal  
horizontale  
horizontal  
horizontal



**verticale / vertical / verticale / vertikal / vertical**

A* cm	inches	B* cm	inches	l* cm	inches	art*	L*	BTU Δt 50°	watt Δt 50°
150.0	59.1	25.0	9.8	5.0	2.0	TS00V15001_	1.1	1324	388
150.0	59.1	50.3	19.8	30.3	11.9	TS00V15002_	2.3	2648	776
150.0	59.1	75.6	29.8	55.6	21.9	TS00V15003_	3.5	3973	1164
170.0	66.9	25.0	9.8	5.0	2.0	TS00V17001_	1.2	1 471	431
170.0	66.9	50.3	19.8	30.3	11.9	TS00V17002_	2.5	2 942	862
170.0	66.9	75.6	29.8	55.6	21.9	TS00V17003_	3.9	4 413	1 293
200.0	78.7	25.0	9.8	5.0	2.0	TS00V20001_	1.4	1 730	507
200.0	78.7	50.3	19.8	30.3	11.9	TS00V20002_	2.9	3 461	1 014
200.0	78.7	75.6	29.8	55.6	21.9	TS00V20003_	4.4	5 191	1 521

E* watt
200
500
700
250
500
700
300
700
900

P\* 117

**orizzontale / horizontal / horizontale / horizontal / horizontal**

B* cm	inches	A* cm	inches	l* cm	inches	art*	L*	BTU Δt 50°	watt Δt 50°
150.0	59.1	25.0	9.8	5.0	2.0	TS00O15001_	1.1	1171	343
150.0	59.1	50.3	19.8	30.3	11.9	TS00O15002_	2.3	2345	687
150.0	59.1	75.6	29.8	55.6	21.9	TS00O15003_	3.5	3515	1030
170.0	66.9	25.0	9.8	5.0	2.0	TS00O17001_	1.2	1 332	390
170.0	66.9	50.3	19.8	30.3	11.9	TS00O17002_	2.5	2 664	781
170.0	66.9	75.6	29.8	55.6	21.9	TS00O17003_	3.9	3 996	1 171
200.0	78.7	25.0	9.8	5.0	2.0	TS00O20001_	1.4	1 567	459
200.0	78.7	50.3	19.8	30.3	11.9	TS00O20002_	2.9	3 134	918
200.0	78.7	75.6	29.8	55.6	21.9	TS00O20003_	4.4	4 701	1 377

A\* = altezza / height / hauteur / Höhe / alto    B\* = larghezza / width / longueur / Breite / ancho    art\* = articolo / model / model / Artikel / artículo  
 P\* = pagina / page / page / Seite / página    l\* = interasse / pipe centres / distance entre depart et retour / Achsabstand / distancia entre las conexiones  
 E\* = elettrico / electrical / électric / elektrisch / eléctrico  
 L\* = contenuto acqua / content / volume / Inhalt / volumen




Ulteriori dettagli  
Further details  
Ulérieures détails  
Weitere Einzelheiten  
Otros detalles

P\* 120


**R [CROM]**  
Cromo spazzolato / brushed chrome / chrome brossé / gebürstet Chrome / cromo cepillado.  
**G [GOLD]**  
Oro spazzolato / brushed gold / doré brossé / gebürstet Gold oro cepillado.

Kcal = Watt x 0.860    BTU = Watt x 3.413  
**verticale / vertical / verticale / vertikal / vertical**  
 Watt Δt 20° = Watt Δt 50° x 0.283  
 Watt Δt 30° = Watt Δt 50° x 0.495  
 Watt Δt 40° = Watt Δt 50° x 0.735  
 Watt Δt 60° = Watt Δt 50° x 1.286  
**orizzontale / horizontal / horizontale / horizontal / horizontal**  
 Watt Δt 20° = Watt Δt 50° x 0.323  
 Watt Δt 30° = Watt Δt 50° x 0.532  
 Watt Δt 40° = Watt Δt 50° x 0.759  
 Watt Δt 60° = Watt Δt 50° x 1.252  
 p max = 6.5 bar



attacco standard  
 standart connection  
 raccord standard  
 standard Anschluss  
 conexión estándar



[H] attacco speciale **SOVATTINC**  
 special connection  
 raccord spéciale  
 speziell Anschluss  
 conexión especial



Max 3 radiatori / Max 3 radiators  
 Max 3 radiateurs / Max 3 radiadores  
 Max 3 Heizkörper



ari\*

**AVHCROM**

cronotermostato digitale per versione elettrica a radio frequenza / digital chronothermostat for electric version / chronothermostat digital pour version électrique avec radiofréquence / der digital Chronothermostat für elektrische Ausführung mit Radiofrequenz / cronotermostato digital para versión eléctrica en radio frecuencia



ari\*

**AVHRIC**

ricevitore per cronotermostato digitale / receiver for digital chronothermostat / receveur pour chronothermostat digital / digital Chronothermostat Empfänger / receptor para cronotermostato digital

